

For the use only of a Registered Veterinary Practitioner Only, Hospital or Laboratory.

Fipronil Spray 0.25% w/v


QuicFIP™ Spray

For Dogs, Puppies, Cats and Kittens

COMPOSITION:

Fipronil 0.25% w/v (2.5g/litre)
Excipients q.s.

MECHANISM OF ACTION:



Fipronil is a broad-use insecticide that belongs to the phenylpyrazole chemical family. Fipronil is a broad-spectrum insecticide that disrupts the insect central nervous system by blocking GABA-gated chloride channels & glutamate-gated (GluCl) channels, resulting in a central nervous system toxicity. This causes hyperexcitation of contaminated insects nerves & muscles. Specificity of Fipronil on insects may come from a better efficacy on GABA receptor, but also because GluCl channels do not exist in mammals.

INDICATIONS:

QuicFIP spray is effective for the prevention & control of multiple species of ectoparasites like ticks (*Rhipicephalus sanguineus*, *Ixodes ricinus*) Fleas (*Ctenocephalides spp.*) in dogs and cats. It is also effective in lice infestations in dogs (*Trichodectes canis*) & cats (*Felicola subrostratus*). QuicFIP spray can be used as part of a treatment strategy for the control of Flea Allergy Dermatitis.

DIRECTION FOR USE:

- For spraying purpose hold the bottle vertically 10cm-20cm away from the animal coat.

- Spray the body of animal from a direction of hairs until hair coat gets wet
- Apply on entire body of animal giving main attention on the affected area.
- Allow animal to air dry.
- Do not towel dry.
- Do not shampoo for at least 2 days after the application.
- Spraying the paws of your pet with QuicFIP spray after returning from walk helps in preventing re-infestation of ticks.

PRECAUTIONS:

- Store in well-ventilated area.
- Avoid spraying into eyes while application.
- Do not allow the animal to lick after spraying.
- Wash the hands after use.
- Keep sprayed animals away from flame until animal gets dry.

SAFETY:

QuicFIP spray is safe to use in dogs & cats with no toxic effects when used in a recommended way. QuicFIP spray is not absorbed by skin and stays on for longer duration to provide effective protection. QuicFIP spray is safe to use on puppies & kittens over 8 weeks (2 months) of age, adult cats & dogs, pregnant & lactating bitches.

TOXICITY:

In case of accidental ingestion or excessive licking by your pet contact your veterinarian immediately for symptomatic treatment. Only for use by or under the observation of a registered Veterinarian.

STORAGE:

Store in cool, dry place away from sunlight.

PRESENTATION:

Bottle of 50 ml, 100 ml & 225 ml

**NOT FOR HUMAN USE
FOR ANIMAL TREATMENT ONLY
FOR EXTERNAL USE ONLY.**

Veko
A VETCO GROUP COMPANY

Manufactured & Marketed by:

Veko Care Pvt. Ltd.

Plot No. E-48 & 49,
MIDC, Ranjangaon, Dist-Pune,
Maharashtra, India.

Pin Code: 412220

Customer care: care@vekocare.com

TM: Trademark of Veko Care

VPP1E001